

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	129	(data adj2 migrat\$6) and ((source and destinat\$6) with (select selecting selects choos\$6 chose\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:33
L3	51	1 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:33
L4	11	(data adj2 migrat\$6) and ((source and destinat\$6) with (select selecting selects choos\$6 chose\$6)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:33
L5	6	4 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:37
L6	30	(migrat\$6 near4 data) same ((file near4 basis) (file near4 (at near a near time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:37
L7	13	6 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:38
L8	3	(migrat\$6 near4 data) same ((file near4 basis) (file near4 (at near a near time))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:37
L10	2	8 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:41

EAST Search History

L13	24	((migrat\$6 with source) and (migrat\$6 with destina\$6) and (file near2 basis))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:41
L14	2	10 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:41
L15	1	((migrat\$6 with source) and (migrat\$6 with destina\$6) and (file near2 basis)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:41
L16	0	15 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 00:41

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("6622170" "6587874").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 16:21
S2	2	S1 and templat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 17:19
S3	4	("5276867" "5367698").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 17:34
S4	868010	3a ndmount	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 17:20
S5	2	S3 and mount	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 17:35
S6	6	("5276867" "5367698" "6108748").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/23 17:34
S7	0	S6 and (mount near point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 17:35
S8	1	S6 and (mount near (point volume))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 17:52

EAST Search History

S9	65	(correspond\$6 with (source) with (migrat\$6 (mount near2 (point volume name))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 17:56
S10	37	S9 and @ad< "20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/23 17:57
S11	2	(correspond\$6 with (source) with (migrat\$6 with (mount near2 (point volume name))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 14:21
S12	0	S11 and @ad< "20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 14:22
S13	5	(correspond\$6 with (source destination) with (mount near2 (point volume name)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 14:22
S14	2	S13 and @ad< "20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/24 14:22

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040049553".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 09:12
S2	2	"6108748".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 09:16
S3	12	(migrat\$6 near4 data) same ((file near4 basis) (file near4 (at near a near time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:30
S4	5	S3 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 09:18
S5	13	(migrat\$6 near4 data) same ((file near4 basis) (file near4 (at near a near time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:50
S6	2941	((migrat\$6 transfer\$6 move moving moves) near4 data) and ((file near4 basis) (file near4 (at near2 time)) (one near2 by near2 one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:51
S7	343	((migrat\$6 transfer\$6 move moving moves) near4 data) same ((file near4 basis) (file near4 (at near2 time)) (one near2 by near2 one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:51
S8	268	S7 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:56

EAST Search History

S9	2	((migrat\$6 near4 data) same ((file near4 basis) (file near4 (at near a near time))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:50
S10	2	((migrat\$6 near4 data) same ((file near4 basis) (file near4 (at near a near time))).clm.	US-PGPUB; USPAT	OR	OFF	2006/03/03 10:51
S11	306	((migrat\$6 transfer\$6 move moving moves) near4 data) and ((file near4 basis) (file near4 (at near2 time)) (one near2 by near2 one)).clm.	US-PGPUB; USPAT	OR	OFF	2006/03/03 10:51
S12	25	((migrat\$6 transfer\$6 move moving moves) near4 data) same ((file near4 basis) (file near4 (at near2 time)) (one near2 by near2 one)).clm.	US-PGPUB; USPAT	OR	OFF	2006/03/03 10:51
S13	2	S10 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:56
S14	231	S11 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:56
S15	21	S12 and @ad<"20030909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:56
S16	2	"5367698".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 15:03
S17	2	"5276867".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 15:03

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	505	(sato near2 eiichi).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 07:49
S2	1	(file with shar\$6 with data with migrat\$6).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 11:14
S3	991	709/213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 07:51
S4	854	709/214-216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 07:51
S5	44	(S3 S4) and (migrat\$6 near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 07:52
S6	40	S5 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 15:26
S7	4	("6000020" "6253240" "6321255" "6351831").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/22 08:06
S8	11	("6654830").URPN.	USPAT	OR	OFF	2005/08/22 08:10
S9	39	(data adj2 migrat\$6) and ((source and destinat\$6) with (select\$6 choos\$6 chose\$6))	USPAT	OR	OFF	2006/03/03 10:18
S10	39	S9 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 08:24

EAST Search History

S11	19	("20020138570" "5566332" "5627979" "5642505" "5708828" "5717924" "5778373" "5778390" "5787433" "5832274" "5930806" "5970490" "6085188" "6119130" "6151608" "6163776" "6230164" "6233582" "6615223").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/22 08:13
S12	10	S10 and ((host\$3 near4 name\$4) (ip near2 address\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:19
S13	0	S10 and (((host\$3 near4 name\$4) (ip near2 address\$4)) with (receiv\$6 inherit\$6 tak\$6 assum\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 08:24
S14	8	(data adj2 migrat\$6) and ((source and (target\$6 destinat\$6)) with (select\$6 choos\$6 chose\$6)) and (((host\$3 near4 name\$4) (ip near2 address\$4)) with (receiv\$6 inherit\$6 tak\$6 assum\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:20
S15	3	S14 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 08:26
S16	2	"6108748".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 08:26
S17	216	((access\$6 reuquest\$6) with (during while) with (migrat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:20
S18	164	S17 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 15:26
S19	3	("5680640" "5835954" "5896548").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/22 15:49
S20	3	("6374327").URPN.	USPAT	OR	OFF	2005/08/22 15:52

EAST Search History

S21	4	(data adj2 migrat\$6) and ((source and destinat\$6) with (select\$6 choos\$6 chose\$6)).clm.	USPAT	OR	OFF	2006/03/03 10:20
S22	43	(data adj2 migrat\$6) and ((source and destinat\$6) with (select\$6 choos\$6 chose\$6))	USPAT	OR	OFF	2006/03/03 10:21
S23	42	S22 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:24
S24	0	S23 and ((host\$3 near4 name\$4) (ip near2 address\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:21
S25	0	(data adj2 migrat\$6) and ((source and (target\$6 destinat\$6)) with (select\$6 choos\$6 chose\$6)) and (((host\$3 near4 name\$4) (ip near2 address\$4)) with (receiv\$6 inherit\$6 tak\$6 assum\$6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:21
S26	29	((access\$6 reuquest\$6) with (during while) with (migrat\$6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:21
S27	7	(data adj2 migrat\$6) and ((source and destinat\$6) with (select\$6 choos\$6 chose\$6)).clm.	US-PGPUB	OR	OFF	2006/03/03 10:20
S28	75	(data adj2 migrat\$6) and ((source and destinat\$6) with (select\$6 choos\$6 chose\$6))	US-PGPUB	OR	OFF	2006/03/03 10:21
S29	0	S23 and ((host\$3 near4 name\$4) (ip near2 address\$4)).clm.	US-PGPUB	OR	OFF	2006/03/03 10:21
S30	0	(data adj2 migrat\$6) and ((source and (target\$6 destinat\$6)) with (select\$6 choos\$6 chose\$6)) and (((host\$3 near4 name\$4) (ip near2 address\$4)) with (receiv\$6 inherit\$6 tak\$6 assum\$6)).clm.	US-PGPUB	OR	OFF	2006/03/03 10:21
S31	13	((access\$6 reuquest\$6) with (during while) with (migrat\$6)).clm.	US-PGPUB	OR	OFF	2006/03/03 10:22
S32	3	S27 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:25

EAST Search History

S33	24	S28 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:26
S34	0	S29 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:24
S35	0	S30 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:24
S36	6	S31 and @ad<"20030909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:26

EAST Search History

S37	41	(US-20030182257-\$ or US-20040049553-\$ or US-20020174098-\$ or US-20040055004-\$ or US-20030225927-\$ or US-20020158765-\$ or US-20030107575-\$ or US-20030002482-\$ or US-20020103779-\$ or US-20030120676-\$ or US-20040181588-\$ or US-20040015566-\$ or US-20030051097-\$ or US-20040162940-\$ or US-20020103969-\$ or US-20030188114-\$ or US-20030115434-\$ or US-20030065898-\$ or US-20030115439-\$ or US-20030115438-\$ or US-20010052108-\$ or US-20030074386-\$ or US-20030229900-\$ or US-20040031058-\$ or US-20030228868-\$ or US-20040260565-\$).did. or (US-20010011324-\$ or US-20010000818-\$ or US-20030188036-\$ or US-20040019751-\$).did. or (US-6269382-\$ or US-6654830-\$ or US-6915287-\$ or US-5835954-\$ or US-6718404-\$ or US-5680640-\$ or US-5896548-\$ or US-6230239-\$ or US-6374327-\$ or US-6775673-\$ or US-6108748-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/03/03 10:27
S38	0	S37 and (file\$6 near4 by near6 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:28